



Western Michigan University
ScholarWorks at WMU

Legacy Scout Tickets from Pure Oil Company

8-20-2021

**MGRRE_PureOilScoutTickets_ALPHA PORTLAND
CEM_1_21045004290000**

MGRRE
Western Michigan University

Follow this and additional works at: <https://scholarworks.wmich.edu/pure>



Part of the Geology Commons

WMU ScholarWorks Citation

MGRRE, "MGRRE_PureOilScoutTickets_ALPHA PORTLAND CEM_1_21045004290000" (2021). *Legacy Scout Tickets from Pure Oil Company*. 1607.
<https://scholarworks.wmich.edu/pure/1607>

This Document is brought to you for free and open access via ScholarWorks at WMU. It has been accepted for inclusion in Legacy Scout Tickets from Pure Oil Company by an authorized administrator of ScholarWorks at WMU. See the National Digital Catalogue - Science Base Catalogue for more collections submitted by MGRRE.



MGRRE_PureOilScoutTickets_ALPHA PORTLAND CEM_1_21045004290000

API 21045004290000

Permit Number 429

Lease Name ALPHA PORTLAND CEM

Well Number 1

County Eaton

Township 1N

Range 6W

Section 28

2021 DEQ or Pure co_name WITTMER OIL AND GAS CORP

Pure Number 10

Latitude 42.44312

Longitude -85.02841


THE PURE OIL COMPANY
LOCATION REPORT

DATE 3-11-2994 1929
STATE Michigan COUNTY Eaton DIST. Bellevue SEC. 28 TOWN 1-N RANGE 6W
WELL No. 1 (SERIAL No. 10) FARM Alpha Cement Co ACRES
NAME OF STREAM OR WATERS QUADRANGLE NE 1/4 SW 1/4
OPERATOR Alpha Cement Co. MAP Sketch

183 Feet from North Line of Farm
" " East " " "
" " South " " "
183 " " West " " "
Feet from North Line of Section
" " East " " "
2457 " " South " " "
1553 " " West " " "

- LEGEND
- | | |
|------------------|----------------------|
| ○ LOCATION | ⊕ DRY HOLE |
| ⊙ RIG | ⊕ DRY SHOWING OIL |
| ⊕ DRILLING | ⊕ DRY SHOWING GAS |
| ⊙ GAS WELL | ⊕ ABANDONED LOCATION |
| ● OIL WELL | ⊕ ABANDONED GAS WELL |
| ⊙ SMALL OIL WELL | ⊕ ABANDONED OIL WELL |

NOTE: Below make tracing from map, (when no map is obtainable make sketch) showing farm, center of section, this location with measurements and also wells, dry holes, or other locations in the vicinity of this location. Make copy to keep for reference and send original to Columbus office.



EMARKS:

SIGNED


Superintendent or Foreman.

LOCATION REPORT

LEGEND

- O LOCATION
- ① RIG
- ⊕ DRILLING
- ⊙ GAS WELL
- OIL WELL
- ◆ SMALL OIL WELL
- ⊙ DRY HOLE
- ◆ DRY SHOWING OIL
- ⊙ DRY SHOWING GAS
- ⊙ ABANDONED LOCATION
- ⊙ ABANDONED GAS WELL
- ABANDONED OIL WELL

NOTE: Below make tracing from map, (when no map is obtainable make sketch) showing farm, center of section, this location with measurements and also wells, dry holes, or other locations in the vicinity of this location. Make copy to keep for reference and send original to Columbus office.



REMARKS:

SIGNED

Superintendent or Foreman.

SUPT. OR FOREMAN

DESCRIPTION	QUANTITY	MAKE	SIZE	MATERIAL
-------------	----------	------	------	----------

DATE Oct. 11th, 1930. **Michigan Producing DIVISION**
COMPLETION RECORD No. - 10 -

STATE Michigan COUNTY Eaton DIST. Bellevue SEC. 28 TOWN 1 N RANGE 6 W
 PREC.

WELL No. 1 (SERIAL No. 10) FARM Alpha Cement Co. ACRES

NAME OF STREAM OR WATERS QUADRANGLE NE₄ - SW₄

OPERATOR Alpha Cement Co. (Wittmer Oil & Gas) MAP Bellevue Twp., Eaton Co.

LOCATION REPORT SENT IN (DATE) March 11th, 1929.

WELL STARTED (DATE) March 1929. WELL COMPLETED (DATE) August 20th, 1930.

~~XXXXXXXXXX~~

~~XXXXXXXXXX~~

DRY HOLE

~~ABANDONED WELL~~

CROSS OUT THREE OF THE ABOVE
 WELL RECORD

DATE OF SHOT NUMBER OF QUARTS

1st 24 HOURS PRODUCTION dry BARRELS OR FEET

2nd " " " " " "

3rd " " " " " "

4th " " " " " "

5th " " " " " "

SAND AND CASING

CASING SIZE	WEIGHT	CAS NG Feet Inches	SAND Name and Nature	TOP	BOTTOM	TOP PAY	BOTTOM PAY	SALT WATER
14"		38'	Red rock	1360	1397			
10"		418	Berea	1422	1457			
8"		1465	Traverse	1720	1770			
6 5/8"		2175	Dundee	1785	1924			1827
5 3/16"		2912	Monroe	1932	1995			
			Niagra	2585	2670			
			Medina	3650				3125
			Total depth	4405'				

REMARKS Water 2775' 2000' of it. Rainbow oil 3205'
Log attached.

MATERIAL	SIZE	MAKE	QUANTITY	DESCRIPTION

Maple Street Co. #1, Cur #10,
Bellavue Twp., Eaton Co.

14" 38'
10" 418
8" 1465
6 5/8" 2175
5 3/16" 2912

Fill	0	24
Yellowstone	24	23
Limestone	28	40
Slate & lime shells	40	80
Gypsum (little water)	80	83
Slate	83	90
Lime	90	94
Slate	94	98
Lime	98	103
Slate	103	107
Lime & gypsum	107	111
Slate	111	114
Sand	114	120
Slate	120	125
Lime	125	134
Sand (water)	134	260
Blue slate	260	282
Shale	282	284
Sand	284	416
Slate	416	420
Sand	420	426
Slate	426	588
Sand & shale	588	593
Slate	593	773
Shell	773	775
Slate	775	1180
Lime	1180	1185
Slate	1185	1360
Red rock	1360	1397
Lime	1397	1402
Black shale	1402	1422
Blue shale & sand	1422	1457
Black shale	1457	1630
Black slate & shells	1630	1685
Shale & sand	1685	1695
Black shale	1695	1720
Lime stone	1720	1770
Black slate	1770	1785
Dundee lime	1785	1924
Water	1827	
Blue shale	1924	1932
Monroe lime	1932	1995
Light lime	1995	2030
Water & light lime	2030	2050
Gray lime	2050	2432
Dark sandy lime	2432	2457
Gray lime	2457	2585
Dark lime	2585	2670

DESCRIPTION	QUANTITY	MAKE	SIZE	MATERIAL
Brown lime	2670		2685	
Blue lime	2685		2715	
Brown lime	2715		2730	
Dark lime	2730		2760	
Brown lime	2760		2775	
Dark lime (water) 2000'	2775		2795	
Gray lime	2795		2915	
Brown lime	2915		3025	
Gray lime	3025		3085	
Dark lime	3085		3200	
Salt	3200		3205	
Lime rainbow oil	3205		3220	
Salt	3220		3280	
Lime	3280		3300	
Salt	3300		3310	
Gray lime	3310		3325	
Brown lime	3325		3330	
Black lime	3330		3335	
Brown lime	3335		3395	
Gray lime	3395		3400	
Gray & white lime	3400		3530	
Blue lime	3530		3540	
White lime	3540		3545	
Blue lime	3545		3555	
Gray sandy lime	3555		3565	
Brown lime	3565		3575	
Blue lime	3575		3585	
Shells & slate	3585		3620	
Gray lime	3620		3640	
Brown lime, hd.	3640		3650	
Red rock (sand)	3650		3675	
Gray sand	3675		3700	
Gray sandy lime	3700		3730	
Brown limestone	3730		3770	
Blue & grayish lime	3770		3950	
Lime, shell & slate	3950		4000	
Slate	4000		4255	
Lime & slate	4255		4268	
Gray lime	4268		4273	
Lime & shale	4273		4278	
Lime & shale	4278		4284	
Fine red lime	4284		4290	
" " "	4290		4301	
Brown lime	4301		4315	
Light (color) lime	4315		4330	
Lighter lime	4330		4386	
Reddish lime	4386		4405	
Total depth	4405			

4405

4301
932
3369